



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 18-MAR-24 to 12-MAY-24

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 18-MAR-24 to 12-MAY-24

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	24/03	31/03	07/04	14/04	21/04	28/04	05/05	12/05	2024	2023	2022			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)		1		1	1				12	7	1	1	1.4	0.7
Hepatitis B (unspecified)	19	12	11	12	13	13	9	11	207	177	141	46	34.3	1.3
Hepatitis C (newly acquired)	3	4	1		2				42	28	24	2	7.4	0.3
Hepatitis C (re-infection)								1	4	4	0	1	0.2	5.0
Hepatitis C (unspecified)	12	18	15	15	29	15	16	19	306	318	254	79	59.7	1.3
Hepatitis D		1					2		7	2	1	2	0.4	5.0
Enteric diseases														
Campylobacteriosis	85	83	78	81	74	69	69	89	1728	1863	1146	301	221.3	1.4
Cryptosporidiosis	25	22	30	26	22	24	20	22	393	85	142	88	20.0	4.4
Hepatitis A				1					9	6	2	0	0.5	0.0
Listeriosis		1							1	2	1	0	0.2	0.0
Paratyphoid fever									1	9	0	0	0.2	0.0
Rotavirus	13	10	18	20	24	29	6		290	474	133	59	27.5	2.1
STEC/VTEC infection	6	4	4	2	1	4	2	2	86	118	80	9	11.9	0.8
Salmonellosis	64	39	35	38	34	32	40	17	758	678	393	123	118.1	1.0
Shigellosis	9	3	8	13	15	7	7	2	169	172	42	31	16.8	1.8
Typhoid				1		1			10	13	5	1	0.5	1.9
Vibrio parahaemolyticus				1	1	2	1		12	2	3	4	0.3	12.0
Yersiniosis	2	2	4	3	4	1	1	3	63	39	8	9	2.5	3.6
Sexually transmissible infections														
Chlamydia (genital)	272	227	215	250	319	218	262	227	4903	4838	3880	1026	835.8	1.2
Gonorrhoea	116	88	97	113	89	108	97	80	1999	1646	1067	374	271.5	1.4
Syphilis - Infectious	10	11	17	9	9	8	12	7	229	280	282	36	54.6	0.7
Syphilis - Non-Infectious	8	7	7	1	3	3	1	4	90	92	87	11	17.3	0.6
Vaccine preventable diseases														
Influenza	167	155	151	108	128	146	149	158	2627	3380	108	581	1069.1	0.5
Measles									2	1	0	0	0.4	0.0
Mumps									4	1	1	0	0.9	0.0
Pertussis	10	6	12	13	17	5	3	2	131	20	14	27	11.7	2.3
Pneumococcal infection	6	4	7	9	4	1	1	3	62	57	49	9	13.7	0.7
Varicella (chicken pox)	14	6	9	16	7	17	9	2	170	143	118	35	31.1	1.1
Varicella (shingles)	54	38	41	51	44	42	42	11	847	974	905	139	181.3	0.8
Varicella (unspecified)	58	48	48	54	45	53	77	97	1056	980	891	272	145.4	1.9
Vector-borne diseases														
Barmah Forest virus					3				7	18	9	3	2.1	1.4
Chikungunya									5	5	2	0	0.2	0.0
Dengue fever	12	13	11	16	22	22	24	9	208	78	6	77	11.1	7.0
Malaria		3	1		1	2	3		21	22	8	6	2.6	2.3
Murray Valley encephalitis virus					1		1		2	5	0	2	0.3	7.5
Ross River virus	10	3	10	7	5	4	1		123	138	379	10	38.8	0.3
Typhus				1	1		1		14	9	3	2	1.3	1.6
Zoonotic diseases														
Brucellosis									1	1	0	0	0.1	0.0
Leptospirosis									0	3	0	0	0.3	0.0
Q Fever	1			1					2	3	2	0	0.7	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1	3	1			1			14	3	10	1	1.0	1.0
Creutzfeldt-Jakob disease									1	0	2	0	0.7	0.0
Legionellosis		3		1	4			1	23	29	24	5	6.7	0.7
Melioidosis			1						4	3	2	0	0.8	0.0
Meningococcal infection	1			2					3	2	7	0	1.1	0.0
RSV	95	89	92	78	67	66	58	80	1146	756	1356	271	76.9	3.5
Tuberculosis	3	3	4	6	4	2	4	7	78	46	30	17	9.9	1.7
iGAS	3	6	6	6	8	2	3	2	82	79	67	15	6.5	2.3
Grand Total	1079	913	934	956	1001	897	921	856						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 19			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	24/03	31/03	07/04	14/04	21/04	28/04	05/05	12/05	2024	2023	2022			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)				1	1				8	3	0	1	0.9	1.2
Hepatitis B (unspecified)	17	11	8	10	10	10	9	10	169	150	112	39	28.4	1.4
Hepatitis C (newly acquired)	3	4	1		1				38	24	19	1	5.9	0.2
Hepatitis C (re-infection)								1	3	4	0	1	0.2	5.0
Hepatitis C (unspecified)	8	15	9	13	27	11	10	13	220	242	188	61	43.1	1.4
Hepatitis D		1					2		7	2	1	2	0.3	6.0
Enteric diseases														
Campylobacteriosis	66	66	54	58	57	53	46	75	1345	1483	910	231	173.1	1.3
Cryptosporidiosis	25	18	26	23	19	22	12	20	343	45	108	73	11.8	6.2
Hepatitis A				1					8	6	1	0	0.4	0.0
Listeriosis		1							1	2	1	0	0.1	0.0
Paratyphoid fever									1	8	0	0	0.2	0.0
Rotavirus	13	10	16	18	23	28	5		269	421	112	56	23.2	2.4
STEC/VTEC infection	5	2	2	1		2			44	72	52	2	7.9	0.3
Salmonellosis	50	27	25	29	24	22	33	16	599	484	277	95	85.7	1.1
Shigellosis	8	1	5	13	14	7	7		132	138	19	28	9.7	2.9
Typhoid				1		1			8	11	5	1	0.3	3.0
Vibrio parahaemolyticus				1	1	2	1		11	2	3	4	0.2	20.0
Yersiniosis	2	1	4	3	4	1	1	3	59	30	7	9	1.9	4.8
Sexually transmissible infections														
Chlamydia (genital)	210	178	166	187	252	173	204	180	3851	3783	3080	809	659.4	1.2
Gonorrhoea	91	61	78	83	65	75	67	59	1498	1199	685	266	188.7	1.4
Syphilis - Infectious	9	9	10	5	5	3	6	5	146	170	200	19	33.5	0.6
Syphilis - Non-Infectious	5	4	7	1	3	2	1	1	55	51	51	7	10.9	0.6
Vaccine preventable diseases														
Influenza	113	102	112	75	97	104	115	121	1997	2244	68	437	798.7	0.5
Measles									2	1	0	0	0.3	0.0
Mumps									3	1	0	0	0.5	0.0
Pertussis	2	1	2	3	5		1		46	16	11	6	9.7	0.6
Pneumococcal infection	4	2	3	6	1	1	1	3	37	36	24	6	7.9	0.8
Varicella (chicken pox)	9	6	7	14	7	16	6	1	138	110	84	30	21.9	1.4
Varicella (shingles)	34	31	32	34	27	24	26	3	563	627	620	80	125.3	0.6
Varicella (unspecified)	56	48	46	52	38	49	69	90	993	945	836	246	139.8	1.8
Vector-borne diseases														
Barmah Forest virus					2				4	5	2	2	0.5	4.3
Chikungunya									5	5	2	0	0.2	0.0
Dengue fever	9	11	9	14	15	12	23	8	161	60	6	58	8.7	6.6
Malaria		2	1			2	2		16	19	7	4	2.4	1.7
Ross River virus	3	2	6	2	4	2			40	69	252	6	21.7	0.3
Typhus				1	1		1		9	7	0	2	0.8	2.5
Zoonotic diseases														
Brucellosis									1	0	0	0	0.0	0.0
Leptospirosis									0	2	0	0	0.0	0.0
Q Fever	1			1					2	1	1	0	0.3	0.0
Other diseases														
Acute post-streptococcal glomerulon									6	0	1	0	0.2	0.0
Creutzfeldt-Jakob disease									1	0	1	0	0.5	0.0
Legionellosis		2		1	4				18	20	18	4	4.4	0.9
Melioidosis									1	1	0	0	0.3	0.0
Meningococcal infection				2					2	1	7	0	0.5	0.0
RSV	57	51	58	51	43	39	40	65	752	580	840	187	59.7	3.1
Tuberculosis	3	2	4	6	3	2	4	6	61	44	26	15	9.1	1.7
iGAS	2	1	3	5	7	2	1	1	49	50	36	11	3.3	3.3
Grand Total	805	670	694	715	760	665	693	681						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1	0.4		(1)	0.3		(1)	0.4
Hepatitis B (unspecified)	1	7 (12)	5.0	3	11 (6)	6.7	6	21 (12)	11.4
Hepatitis C (newly acquired)			0.8		(2)	2.3		1 (3)	2.1
Hepatitis C (re-infection)					(1)	0.1	1	1	0.3
Hepatitis C (unspecified)	3	6 (10)	4.3	5	26 (25)	14.0	5	29 (22)	12.1
Hepatitis D					1	0.3		1	0.7
Enteric diseases									
Campylobacteriosis	35	94 (92)	64.3	23	71 (74)	65.9	17	66 (83)	54.7
Cryptosporidiosis	11	35 (3)	23.3	2	17 (4)	9.4	7	21 (1)	13.9
Hepatitis A			0.1			0.3			0.7
Listeriosis						0.1			
Paratyphoid fever								(1)	0.1
Rotavirus		24 (21)	10.8		20 (13)	13.3		12 (17)	12.8
STEC/VTEC infection		1 (2)	2.4		1 (3)	1.5		(5)	2.1
Salmonellosis	7	38 (32)	39.5	5	36 (25)	23.4	4	21 (22)	19.0
Shigellosis		7 (10)	5.5		5 (7)	4.2		16 (11)	8.2
Typhoid			0.3			0.1		1 (1)	0.7
Vibrio parahaemolyticus		1	0.3		1	0.6		2	0.7
Yersiniosis	1	2 (1)	2.4	2	3 (1)	3.1		4	2.6
Sexually transmissible infections									
Chlamydia (genital)	48	245 (219)	159.2	54	240 (231)	168.2	78	324 (293)	199.6
Gonorrhoea	16	63 (79)	56.0	18	86 (87)	58.8	25	117 (116)	89.5
Syphilis - Infectious		2 (6)	4.7	4	6 (6)	6.3	1	11 (20)	9.0
Syphilis - Non-Infectious	1	4 (2)	2.1		1 (3)	1.9		2 (5)	3.4
Vaccine preventable diseases									
Influenza	60	217 (347)	113.1	28	109 (308)	74.6	33	111 (296)	84.8
Measles									0.3
Mumps			0.1			0.1			0.1
Pertussis		3 (1)	1.9		2 (1)	2.5		1 (1)	2.0
Pneumococcal infection	1	2 (6)	1.6	1	2 (3)	1.8	1	2 (2)	1.7
Varicella (chicken pox)	1	9 (10)	6.2		7 (7)	5.1		14 (7)	7.5
Varicella (shingles)	2	30 (49)	26.6		24 (44)	26.8	1	26 (36)	23.9
Varicella (unspecified)	32	81 (66)	45.9	28	78 (88)	46.2	30	87 (72)	44.1
Vector-borne diseases									
Barmah Forest virus					2 (2)	0.6			
Chikungunya						0.6			0.1
Dengue fever	2	22 (3)	8.3	2	19 (4)	7.2	4	17 (5)	6.6
Malaria		1 (1)	0.7		1 (1)	0.6		2 (3)	0.9
Murray Valley encephalitis virus									
Ross River virus		3 (3)	1.9		1 (14)	2.6		2 (2)	1.1
Typhus			0.1			0.6		2	0.5
Zoonotic diseases									
Brucellosis									0.1
Q Fever						0.1			0.1
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)						0.4			0.4
Creutzfeldt-Jakob disease			0.1						
Legionellosis		2 (1)	0.5		2 (3)	0.9		(1)	1.1
Melioidosis						0.1			
Meningococcal infection			0.1			0.1			
RSV	32	88 (81)	47.5	13	46 (55)	26.9	20	53 (71)	28.1
Tuberculosis	3	4 (2)	2.0	2	5 (4)	2.6	1	6 (3)	3.7
iGAS	1	5 (5)	1.9		4 (6)	2.8		2 (6)	2.1
Grand Total	257	997 *****		190	827 *****		234	975 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			1.1			1.6			
Hepatitis B (unspecified)		2	3.2			1.6			8.2
Hepatitis C (newly acquired)					(1)	1.6			
Hepatitis C (re-infection)						1.6			
Hepatitis C (unspecified)		4 (1)	10.7	1	1 (4)	22.7		3 (1)	8.2
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	28 (28)	78.2	2	6 (4)	74.4	1	10 (13)	65.6
Cryptosporidiosis		4	9.6		3	11.3		1	5.5
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(6)	3.2						2.7
STEC/VTEC infection		1 (2)	4.8	1	1 (1)	6.5		1 (3)	9.6
Salmonellosis		10 (8)	23.6		3 (2)	22.7		2 (6)	27.3
Shigellosis		1	3.8			3.2			4.1
Typhoid									
Vibrio parahaemolyticus			0.5						
Yersiniosis			1.6						1.4
Sexually transmissible infections									
Chlamydia (genital)	6	44 (53)	114.1	2	15 (10)	90.6	5	17 (16)	91.5
Gonorrhoea	1	15 (17)	33.8		2 (1)	24.3	3	5 (3)	26.0
Syphilis - Infectious	1	1 (3)	2.1			8.1		1	5.5
Syphilis - Non-Infectious			1.6		(1)	1.6		(2)	2.7
Vaccine preventable diseases									
Influenza	5	22 (25)	92.2	1	6 (14)	87.4	2	12 (5)	50.5
Measles									
Mumps									
Pertussis	1	9 (1)	21.4			1.6		3	8.2
Pneumococcal infection		1 (1)	1.6					1	2.7
Varicella (chicken pox)		3 (7)	5.9			11.3			4.1
Varicella (shingles)	6	37 (35)	78.8	1	5 (9)	61.5		5 (6)	31.4
Varicella (unspecified)		5	2.7	4	6 (2)	17.8	2	3	13.7
Vector-borne diseases									
Barmah Forest virus			0.5						
Chikungunya									
Dengue fever		8	9.1	1	3	6.5			2.7
Malaria			0.5						
Murray Valley encephalitis virus									
Ross River virus		1 (2)	20.9		(3)	4.9			2.7
Typhus			0.5			1.6			2.7
Zoonotic diseases									
Brucellosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis	1	1 (3)	0.5			4.9			
Melioidosis									
Meningococcal infection									
RSV	4	20 (10)	25.7	3	5 (9)	38.8		5 (3)	15.0
Tuberculosis			1.6			4.9		1	4.1
iGAS		(1)	2.1			1.6			1.4
Grand Total	30	217 (203)		16	56 (61)		13	70 (58)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1	7.0	1	1 (1)	4.1		1 (1)	18.8
Hepatitis C (newly acquired)					(1)	2.1			1.7
Hepatitis C (re-infection)									
Hepatitis C (unspecified)		2 (1)	20.9	4	5 (3)	33.1			12.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	6 (6)	55.7	1	5 (2)	57.9	1	6 (7)	49.6
Cryptosporidiosis	2	4 (1)	8.7			4.1		2 (2)	13.7
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(2)	3.5		(1)	4.1		(1)	3.4
STEC/VTEC infection	1	3	15.7		(1)	4.1		1	6.8
Salmonellosis		3 (5)	33.1		1 (3)	24.8	1	5 (7)	30.8
Shigellosis			8.7			2.1		(1)	12.0
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	14 (19)	165.3	9	25 (22)	248.0	7	29 (37)	301.1
Gonorrhoea	2	11 (8)	81.8	2	16 (14)	169.5	2	14 (14)	92.4
Syphilis - Infectious		3 (1)	20.9	1	5 (4)	20.7		1 (9)	32.5
Syphilis - Non-Infectious	1	1 (1)	17.4	1	1 (3)	14.5		1 (2)	12.0
Vaccine preventable diseases									
Influenza	1	3 (20)	52.2	5	13 (65)	107.5	2	21 (86)	135.1
Measles									
Mumps									
Pertussis	1	3 (1)	7.0		6 (1)	64.1			5.1
Pneumococcal infection		1	3.5			14.5		(1)	8.6
Varicella (chicken pox)		1	7.0		(1)	6.2		1 (1)	6.8
Varicella (shingles)		2 (1)	20.9		3 (3)	35.1		1 (6)	23.9
Varicella (unspecified)	1	5 (1)	31.3		1 (1)	6.2		1	3.4
Vector-borne diseases									
Barmah Forest virus		1	3.5						
Chikungunya						4.1		2 (1)	6.8
Dengue fever									
Malaria									
Murray Valley encephalitis virus		1	1.7					1 (1)	1.7
Ross River virus								1 (1)	5.1
Typhus									1.7
Zoonotic diseases									
Brucellosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Legionellosis			1.7						
Melioidosis									
Meningococcal infection						2.1			
RSV		1 (5)	27.8	1	5 (1)	20.7	3	11 (4)	53.0
Tuberculosis			1.7			4.1			1.7
iGAS		1 (1)	7.0		1 (1)	10.3	1	2 (1)	13.7
Grand Total	14	67 (73)		25	88 (128)		17	101 (183)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				0	1 (2)	0.4
Hepatitis B (unspecified)		2 (1)	20.8	11	46 (36)	7.6
Hepatitis C (newly acquired)		1	3.0	0	2 (7)	1.6
Hepatitis C (re-infection)				1	1 (1)	0.1
Hepatitis C (unspecified)	1	3 (3)	26.7	19	79 (73)	11.2
Hepatitis D				0	2 (0)	0.3
Enteric diseases						
Campylobacteriosis		1 (5)	71.3	89	301 (316)	63.8
Cryptosporidiosis		1 (1)	11.9	22	88 (12)	14.5
Hepatitis A				0	0 (0)	0.3
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (1)	0.0
Rotavirus		(1)	5.9	0	59 (62)	10.7
STEC/VTEC infection			17.8	2	9 (17)	3.2
Salmonellosis		3 (8)	77.2	17	123 (121)	28.0
Shigellosis	2	2 (4)	29.7	2	31 (33)	6.2
Typhoid				0	1 (3)	0.4
Vibrio parahaemolyticus				0	4 (0)	0.4
Yersiniosis				3	9 (4)	2.3
Sexually transmissible infections						
Chlamydia (genital)	8	51 (44)	769.0	227	1026 (962)	181.1
Gonorrhoea	8	35 (29)	573.0	80	374 (373)	73.8
Syphilis - Infectious		6 (7)	80.2	7	36 (57)	8.5
Syphilis - Non-Infectious	1	1 (1)	8.9	4	11 (23)	3.2
Vaccine preventable diseases						
Influenza	16	53 (203)	421.6	158	581*****	97.0
Measles				0	0 (0)	0.1
Mumps				0	0 (0)	0.1
Pertussis				2	27 (6)	4.8
Pneumococcal infection		(2)	14.8	3	9 (15)	2.3
Varicella (chicken pox)				2	35 (35)	6.3
Varicella (shingles)	1	3 (2)	56.4	11	139 (194)	31.3
Varicella (unspecified)				97	272 (234)	39.0
Vector-borne diseases						
Barmah Forest virus				0	3 (4)	0.3
Chikungunya				0	0 (0)	0.2
Dengue fever		1 (1)	8.9	9	77 (14)	7.7
Malaria		1	3.0	0	6 (5)	0.8
Murray Valley encephalitis virus				0	2 (2)	0.1
Ross River virus		2 (5)	92.0	0	10 (33)	4.5
Typhus				0	2 (0)	0.5
Zoonotic diseases						
Brucellosis				0	0 (0)	0.0
Q Fever				0	0 (0)	0.1
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		1	23.8	0	1 (1)	0.5
Creutzfeldt-Jakob disease				0	0 (0)	0.0
Legionellosis				1	5 (10)	0.8
Melioidosis		(1)	8.9	0	0 (2)	0.1
Meningococcal infection				0	0 (1)	0.1
RSV	2	33 (8)	697.7	80	271 (253)	42.3
Tuberculosis			5.9	7	17 (9)	1.8
iGAS		(1)	29.7	2	15 (24)	3.0
Grand Total	39	200 (327)		856	3675 (4338)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 19	
	24/03	31/03	07/04	14/04	21/04	28/04	05/05	12/05	2024	2023
	Salmonella Total	64	39	35	38	34	32	40	17	758
Serotype/Phage										
Salmonella Abony			1						1	0
Salmonella Agona			1				1		11	8
Salmonella Anatum		1	1			1			6	7
Salmonella Bareilly									1	2
Salmonella Blukwa			1						2	0
Salmonella Bonn									1	0
Salmonella Bootle									1	0
Salmonella Bovismorbificans	1			1	1	1	1		16	13
Salmonella Braenderup				1			1		2	2
Salmonella Brandenburg									1	1
Salmonella Bredeney			1						1	1
Salmonella Cerro	1		2						5	2
Salmonella Chailey							1		2	1
Salmonella Chester	2		3	4	2	3			36	28
Salmonella Choleraesuis bv Australia			1						6	11
Salmonella Choleraesuis bv Decatur	1								6	3
Salmonella Corvallis									2	3
Salmonella Eastbourne					1				2	2
Salmonella Emek		1							2	0
Salmonella Enteritidis	4	5		4	4	2	8		63	50
Salmonella Hadar					1				1	2
Salmonella Haifa									1	0
Salmonella Havana	1	1		1		1			5	3
Salmonella Heidelberg						1			2	0
Salmonella Hessarek									1	3
Salmonella Hvittingfoss	1	1					1		6	2
Salmonella Infantis	4		2	1	2		1		25	13
Salmonella Jangwani			1						1	0
Salmonella Javiana									1	1
Salmonella Johannesburg									4	2
Salmonella Jubilee				1					1	0
Salmonella Kentucky				1		1		1	7	8
Salmonella Kiambu									3	4
Salmonella Kottbus									2	6
Salmonella Lansing			1		1				2	1
Salmonella Lexington		1							1	0
Salmonella Mbandaka				1		1			4	0
Salmonella Mgulani									1	1
Salmonella Mississippi							1		1	1
Salmonella Montevideo									1	2
Salmonella Muenchen		1	2	2	2		2		18	11
Salmonella Muenster				1					1	2
Salmonella Newport		1	2						8	14
Salmonella Ohio					1				1	0
Salmonella Onderstepoort		1							1	0
Salmonella Oranienburg						1			1	3
Salmonella Orion				1					1	1
Salmonella Oslo			1						1	1
Salmonella Paratyphi B bv Java	2	3	1	3	4	5	5		45	31

Weekly Report for period 18-MAR-24 to 12-MAY-24

	24/03	31/03	07/04	14/04	21/04	28/04	05/05	12/05	Cumulative Total to end of Week 19	
									2024	2023
Salmonella Total	64	39	35	38	34	32	40	17	758	641
Serotype/Phage										
Salmonella Poona	1								1	5
Salmonella Potsdam					1				2	5
Salmonella Reading				1					1	4
Salmonella Rissen		1	1		1			1	6	1
Salmonella Saintpaul	4		1	1	1		1		16	97
Salmonella Schwarzengrund					1				1	3
Salmonella Senftenberg		1							4	3
Salmonella Singapore		1		1					6	3
Salmonella Stanley		2	2	1		1	1		8	11
Salmonella Tennessee	1						1		2	0
Salmonella Thompson			1						1	1
Salmonella Typhimurium	31	13	6	5	6	8	8		261	141
Salmonella Virchow			1	1	1	1	1		11	6
Salmonella Wangata								1	2	5
Salmonella Waycross									1	0
Salmonella Weltevreden	1			1					7	9
Salmonella species	9	4	2	5	4	5	6	14	110	101
Salmonella subsp I ser 16:l,v:-		1							3	0
Salmonella subsp IIIb 48:r:e,n,x,z15									1	0