



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 25-DEC-24 to 18-FEB-25

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 7			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2025	2024	2023			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	6	13	9	9	14	8	10	15	78	66	56	47	33.7	1.4
Hepatitis C (newly acquired)		2	3		2	2	1		10	18	12	5	6.9	0.7
Hepatitis C (re-infection newly acquired)					1				1	2	0	1	0.3	3.0
Hepatitis C (unspecified)	10	11	9	12	20	17	16	25	110	92	120	78	64.1	1.2
Hepatitis D				1		1			2	4	0	1	0.5	1.9
Enteric diseases														
Campylobacteriosis	70	107	99	95	82	80	74	42	579	738	827	278	316.9	0.9
Cholera							1		1	0	0	1	0.0	0.0
Cryptosporidiosis	13	24	22	20	35	46	69	27	243	93	34	177	51.2	3.5
Hepatitis A	3	1				1		1	3	3	2	2	1.4	1.4
Hepatitis E									0	0	0	0	0.2	0.0
Listeriosis			1			1			2	0	0	1	0.3	3.8
Paratyphoid fever					1	1			2	0	5	2	0.6	3.3
Rotavirus	13	13	9	12	7	9	4	1	55	119	179	21	46.8	0.4
STEC/VTEC infection	6	7	3	2	2	5	2		21	47	63	9	18.1	0.5
Salmonellosis	22	30	34	30	35	33	33	18	213	217	303	119	141.7	0.8
Shigellosis	6	11	15	18	14	10	2	1	71	66	73	27	25.7	1.0
Typhoid	3	1		1		3	2		7	3	6	5	1.8	2.8
Vibrio parahaemolyticus			1				1		2	7	2	1	1.3	0.8
Yersiniosis		2	3	2	3	3	5	3	21	6	21	14	4.1	3.4
Sexually transmissible infections														
Chlamydia (genital)	114	217	304	279	220	248	259	155	1682	1848	1848	882	937.5	0.9
Gonorrhoea	56	98	123	103	102	99	89	38	652	777	624	328	305.9	1.1
Syphilis - Infectious	4	14	16	15	11	14	10	5	85	88	108	40	58.1	0.7
Syphilis - Non-Infectious	2	1	5	3	3		2	3	17	30	30	8	18.3	0.4
Vaccine preventable diseases														
Diphtheria	1			1					1	0	0	0	0.1	0.0
Influenza	139	242	345	250	235	327	353	218	1970	874	682	1133	265.4	4.3
Measles						1			1	0	0	1	0.4	2.5
Mumps		1	1	1					3	0	0	0	0.7	0.0
Pertussis	47	64	57	48	34	27	26	10	266	39	5	97	12.7	7.6
Pneumococcal infection	6	6	3	2	1	2	1		15	11	20	4	9.2	0.4
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Tetanus									0	0	0	0	0.0	0.0
Varicella (chicken pox)	13	13	11	15	5	12	8	3	67	51	55	28	33.7	0.8
Varicella (shingles)	41	46	52	58	45	49	45	7	302	341	388	146	204.8	0.7
Varicella (unspecified)	43	54	51	54	57	62	67	50	395	342	349	236	167.4	1.4
Vector-borne diseases														
Barmah Forest virus						1			1	3	5	1	1.9	0.5
Chikungunya				1		1			2	2	4	1	1.1	0.9
Dengue fever	6	14	24	12	11	20	11	4	96	49	29	46	12.3	3.8
Malaria	1				1	1			2	8	11	2	3.9	0.5
Murray Valley encephalitis virus					1	1			2	0	0	2	0.1	15.0
Ross River virus		8	7	4	2	2	1	2	26	58	39	7	54.7	0.1
Typhus	1			2	1	1			4	6	3	2	2.6	0.8
Zoonotic diseases														
Brucellosis									0	0	0	0	0.1	0.0
Leptospirosis									0	0	2	0	0.2	0.0
Q Fever			1						1	0	1	0	0.4	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	2	3			1				4	4	1	1	1.0	1.0
COVID-19	8	2	10	4	4	4	3		27	1	0	11	3509.8	0.0
Creutzfeldt-Jakob disease									0	1	1	0	0.4	0.0
Legionellosis	1	1		1	1	2			5	9	6	3	3.7	0.8
Leprosy			1	1					2	0	0	0	0.1	0.0
Melioidosis		1							1	2	1	0	0.6	0.0
Meningococcal infection					1				1	0	0	1	1.0	1.0
Monkeypox virus	3	4	4	1		1			10	0	0	1	0.1	15.0
RSV	31	72	56	57	52	65	69	46	417	260	238	232	152.9	1.5
Tuberculosis	4	3	5	5	3	6	6	3	31	19	11	18	11.6	1.6
iGAS	6	7	5	4	4	3	3		26	30	27	10	9.3	1.1
Grand Total	681	1093	1289	1123	1011	1169	1173	677						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 7			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2025	2024	2023			
	Blood-borne diseases[2]													
Hepatitis B (unspecified)	6	12	9	8	13	7	9	10	68	52	46	39	26.9	1.4
Hepatitis C (newly acquired)		1	3			2	1		7	15	11	3	5.7	0.5
Hepatitis D (unspecified)	7	7	6	11	16	16	10	20	86	65	94	62	45.9	1.4
Hepatitis D				1		1			2	4	0	1	0.5	1.9
Enteric diseases														
Campylobacteriosis	49	88	88	77	64	63	63	39	482	586	660	229	252.6	0.9
Cholera							1		1	0	0	1	0.0	0.0
Cryptosporidiosis	12	21	18	14	32	42	61	26	214	78	18	161	42.1	3.8
Hepatitis A	3	1				1		1	3	2	2	2	1.3	1.6
Hepatitis E									0	0	0	0	0.2	0.0
Listeriosis			1			1			2	0	0	1	0.1	7.5
Paratyphoid fever					1	1			2	0	4	2	0.5	3.8
Rotavirus	12	11	9	11	6	8	4	1	50	110	161	19	41.4	0.5
STEC/VTEC infection	1	3		1		3	2		9	25	38	5	11.7	0.4
Salmonellosis	14	24	22	24	25	24	25	15	159	160	237	89	106.8	0.8
Shigellosis	3	9	10	14	10	9	1	1	54	54	58	21	17.3	1.2
Typhoid	3	1		1		3	2		7	3	6	5	1.6	3.1
Vibrio parahaemolyticus			1				1		2	6	2	1	1.2	0.8
Yersiniosis		2	3	2	3	3	5	3	21	6	16	14	3.4	4.1
Sexually transmissible infections														
Chlamydia (genital)	83	168	238	213	169	177	209	136	1310	1445	1458	691	736.9	0.9
Gonorrhoea	39	64	85	74	62	71	68	28	452	576	460	229	211.5	1.1
Syphilis - Infectious	3	10	14	10	9	6	7	4	60	57	65	26	35.3	0.7
Syphilis - Non-Infectious	1		5	1	2		1	1	10	13	16	4	12.3	0.3
Vaccine preventable diseases														
Diphtheria	1								0	0	0	0	0.1	0.0
Influenza	115	211	306	223	195	255	207	138	1535	721	509	795	206.1	3.9
Measles						1			1	0	0	1	0.4	2.5
Mumps		1	1						2	0	0	0	0.5	0.0
Pertussis	33	42	38	27	27	18	20	10	182	21	5	75	8.7	8.7
Pneumococcal infection	2	1	1	1		1			4	6	13	1	4.9	0.2
Rubella (non-congenital)									0	0	0	0	0.1	0.0
Varicella (chicken pox)	9	10	6	11	3	8	8	2	48	42	46	21	25.3	0.8
Varicella (shingles)	24	30	37	40	28	27	27	5	194	234	255	87	139.3	0.6
Varicella (unspecified)	39	53	51	51	55	60	62	47	379	326	332	224	160.7	1.4
Vector-borne diseases														
Barmah Forest virus						1			1	2	2	1	0.4	2.5
Chikungunya				1					1	2	4	0	0.8	0.0
Dengue fever	3	12	18	10	10	15	9	2	76	39	22	36	9.2	3.9
Malaria	1				1	1			2	6	9	2	3.0	0.7
Murray Valley encephalitis virus									0	0	0	0	0.0	0.0
Ross River virus		5	4	1	1	1			12	17	17	2	30.9	0.1
Typhus				1	1				2	2	2	1	1.3	0.8
Zoonotic diseases														
Brucellosis									0	0	0	0	0.1	0.0
Leptospirosis									0	0	2	0	0.1	0.0
Q Fever			1						1	0	1	0	0.1	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis	1	2							2	4	0	0	0.4	0.0
Creutzfeldt-Jakob disease									0	1	1	0	0.4	0.0
Legionellosis	1					2			2	6	5	2	2.5	0.8
Leprosy			1						1	0	0	0	0.1	0.0
Melioidosis		1							1	1	0	0	0.1	0.0
Meningococcal infection					1				1	0	0	1	0.7	1.5
Monkeypox virus	3	4	4	1		1			10	0	0	1	0.0	0.0
RSV	12	49	30	39	35	53	60	39	305	190	163	187	100.6	1.9
Tuberculosis	4	3	5	5	2	6	6	3	30	15	10	17	10.1	1.7
iGAS	6	4	2	3	2	2	1		14	17	20	5	6.1	0.8
Grand Total	490	850	1017	876	773	890	870	531						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	3	11 (10)		1	12 (14)		6	16 (15)	
Hepatitis C (newly acquired)		1 (2)			2 (2)			(4)	
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)	4	12 (7)		8	26 (17)		8	24 (14)	
Hepatitis D								1 (3)	
Enteric diseases									
Campylobacteriosis	13	77 (97)		12	74 (106)		14	78 (104)	
Cholera		1							
Cryptosporidiosis	10	80 (25)		8	41 (10)		8	40 (28)	
Hepatitis A				1	1			1	
Listeriosis		1							
Paratyphoid fever								2	
Rotavirus		7 (8)		1	7 (27)			5 (24)	
STEC/VTEC infection		2 (8)			(4)			3 (4)	
Salmonellosis	5	28 (37)		7	28 (31)		3	33 (25)	
Shigellosis	1	6 (14)			4 (8)			11 (13)	
Typhoid		(1)			3			2	
Vibrio parahaemolyticus		(1)			1 (2)				
Yersiniosis	1	7		1	6 (4)		1	1	
Sexually transmissible infections									
Chlamydia (genital)	49	226 (262)		41	225 (243)		45	240 (327)	
Gonorrhoea	9	70 (89)		7	62 (87)		12	97 (134)	
Syphilis - Infectious		6 (10)			7 (10)		4	13 (17)	
Syphilis - Non-Infectious	1	2 (1)			1 (2)			1 (4)	
Vaccine preventable diseases									
Diphtheria									
Influenza	46	326 (174)		42	223 (99)		50	246 (135)	
Measles					1				
Mumps									
Pertussis	3	36 (5)		5	17 (6)		2	22 (6)	
Pneumococcal infection		1 (2)			(2)			(1)	
Varicella (chicken pox)	1	5 (11)			(6)		1	16 (8)	
Varicella (shingles)	2	28 (50)		1	28 (43)		2	31 (40)	
Varicella (unspecified)	15	72 (61)		14	71 (62)		18	81 (71)	
Vector-borne diseases									
Barmah Forest virus		1							
Chikungunya									
Dengue fever	1	14 (4)			12 (9)		1	10 (5)	
Malaria								2 (3)	
Murray Valley encephalitis virus									
Ross River virus		1 (2)			(8)			1 (2)	
Typhus					1 (1)				
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)								(2)	
COVID-19									
Legionellosis		2							
Leprosy									
Melioidosis									
Meningococcal infection		1							
Monkeypox virus								1	
RSV	13	68 (54)		13	48 (25)		13	71 (33)	
Tuberculosis	1	5 (1)		1	3 (4)		1	9 (3)	
iGAS		1 (1)			4 (5)			(5)	
Grand Total	178	1098 (937)		163	908 (837)		189	1058 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		(1)		1	1				
Hepatitis C (newly acquired)					2 (1)				
Hepatitis C (re-infection newly acquired)					1				
Hepatitis C (unspecified)	1	3 (4)		2	3 (1)		1 (2)		
Hepatitis D									
Enteric diseases									
Campylobacteriosis	1	17 (31)			7 (10)		1	10 (13)	
Cholera									
Cryptosporidiosis		7 (2)					1	1	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		1							
STEC/VTEC infection		2 (2)			1 (1)			(3)	
Salmonellosis	1	5 (9)			3 (2)			(6)	
Shigellosis									
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	5	46 (47)			4 (20)		2	13 (18)	
Gonorrhoea	2	13 (9)						6 (3)	
Syphilis - Infectious		1 (2)			(1)				
Syphilis - Non-Infectious							1	1	
Vaccine preventable diseases									
Diphtheria									
Influenza	6	51 (27)		2	8 (18)			3 (2)	
Measles									
Mumps									
Pertussis		6 (4)			4			1 (1)	
Pneumococcal infection					1				
Varicella (chicken pox)		(1)			2 (2)			1	
Varicella (shingles)	2	24 (39)			6 (10)			6 (8)	
Varicella (unspecified)							1	6 (2)	
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever	1	3			1 (1)			1	
Malaria									
Murray Valley encephalitis virus									
Ross River virus	2	3 (9)			(1)			1	
Typhus					1				
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19		9			1			1	
Legionellosis								1	
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV		9 (4)			3 (1)			2 (1)	
Tuberculosis									
iGAS		1 (2)							
Grand Total	21	201 (193)		5	49 (69)		6	55 (59)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		1 (1)		2	4				
Hepatitis C (newly acquired)									
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)	1	4 (2)			2 (2)			(4)	
Hepatitis D									
Enteric diseases									
Campylobacteriosis		3 (6)		1	2 (6)			4 (5)	
Cholera									
Cryptosporidiosis		5						1 (1)	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(1)			(1)			1	
STEC/VTEC infection								(1)	
Salmonellosis	1	5 (2)			4 (3)			7 (4)	
Shigellosis		2 (3)			1			2 (1)	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	1	17 (21)		4	35 (30)		2	27 (52)	
Gonorrhoea	1	4 (11)		5	35 (29)			15 (16)	
Syphilis - Infectious		2 (3)			1 (2)			(6)	
Syphilis - Non-Infectious		(1)					1	1 (1)	
Vaccine preventable diseases									
Diphtheria									
Influenza	4	14 (5)			3 (6)		11	30 (7)	
Measles									
Mumps									
Pertussis					2 (6)			5	
Pneumococcal infection					(2)				
Varicella (chicken pox)	1	1			1			1 (2)	
Varicella (shingles)		5 (2)			7 (5)			4 (3)	
Varicella (unspecified)		(5)					1	3	
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever					(1)			(1)	
Malaria									
Murray Valley encephalitis virus									
Ross River virus					1				
Typhus									
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)								1	
COVID-19									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	3	7 (2)			3 (2)		2	9 (5)	
Tuberculosis									
iGAS		1 (1)			2			1 (2)	
Grand Total	12	71 (66)		12	103 (95)		17	112 (111)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (unspecified)	1	1 (2)		15	47 (45)	0.0
Hepatitis C (newly acquired)				0	5 (10)	0.0
Hepatitis C (re-infection newly acquired)				0	1 (1)	0.0
Hepatitis C (unspecified)	1	2		25	78 (53)	0.0
Hepatitis D				0	1 (4)	0.0
Enteric diseases						
Campylobacteriosis		2 (7)		42	278 (391)	0.0
Cholera				0	1 (0)	0.0
Cryptosporidiosis		2		27	177 (71)	0.0
Hepatitis A				1	2 (0)	0.0
Listeriosis				0	1 (0)	0.0
Paratyphoid fever				0	2 (0)	0.0
Rotavirus				1	21 (61)	0.0
STEC/VTEC infection		(3)		0	9 (30)	0.0
Salmonellosis	1	6 (12)		18	119 (133)	0.0
Shigellosis		1 (2)		1	27 (43)	0.0
Typhoid				0	5 (1)	0.0
Vibrio parahaemolyticus				0	1 (5)	0.0
Yersiniosis				3	14 (4)	0.0
Sexually transmissible infections						
Chlamydia (genital)	3	35 (60)		154	882*****	0.0
Gonorrhoea	2	23 (55)		38	328 (442)	0.0
Syphilis - Infectious	1	10 (4)		5	40 (58)	0.0
Syphilis - Non-Infectious		1 (1)		3	8 (18)	0.0
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
Influenza	51	206 (4)		218	1133 (487)	0.0
Measles				0	1 (0)	0.0
Mumps				0	0 (1)	0.0
Pertussis		4		10	97 (28)	0.0
Pneumococcal infection		2 (2)		0	4 (9)	0.0
Varicella (chicken pox)		1		3	28 (30)	0.0
Varicella (shingles)		5 (4)		7	146 (208)	0.0
Varicella (unspecified)				50	236 (204)	0.0
Vector-borne diseases						
Barmah Forest virus				0	1 (1)	0.0
Chikungunya		1		0	1 (2)	0.0
Dengue fever		1		4	46 (22)	0.0
Malaria				0	2 (4)	0.0
Murray Valley encephalitis virus		1		0	2 (0)	0.0
Ross River virus		(18)		2	7 (43)	0.0
Typhus				0	2 (1)	0.0
Zoonotic diseases						
Q Fever				0	0 (0)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	1 (4)	0.0
COVID-19				0	11 (0)	0.0
Legionellosis				0	3 (3)	0.0
Leprosy				0	0 (0)	0.0
Melioidosis				0	0 (2)	0.0
Meningococcal infection				0	1 (0)	0.0
Monkeypox virus				0	1 (0)	0.0
RSV	2	9 (22)		46	232 (153)	0.0
Tuberculosis				3	18 (12)	0.0
iGAS		(4)		0	10 (21)	0.0
Grand Total	62	313 (200)		676	4030 (3694)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 7	
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2025	2024
	Salmonella Total	22	30	34	30	35	33	33	18	213
Serotype/Phage										
Salmonella Aberdeen		1							1	0
Salmonella Anatum	1		1						1	1
Salmonella Bareilly	1			1		2			3	1
Salmonella Bovismorbificans			1		1	1	1		4	4
Salmonella Braenderup				1					1	0
Salmonella Bredeney			1					1	2	0
Salmonella Cerro							1		1	0
Salmonella Chester	1		4		1	1	2		8	13
Salmonella Choleraesuis bv Decatur			1		1	1			3	2
Salmonella Eastbourne					1				1	1
Salmonella Emek					1				1	0
Salmonella Enteritidis	2	4	3	2	2	6	2		19	18
Salmonella Havana							1		1	0
Salmonella Heidelberg				1	1				2	0
Salmonella Hessarek			1						1	1
Salmonella Hindmarsh						1			1	0
Salmonella Hvittingfoss				1		3			4	2
Salmonella Infantis	1	1		1	1	2			5	9
Salmonella Johannesburg			1		1				2	3
Salmonella Kentucky		2	1	1					4	2
Salmonella Lansing									0	0
Salmonella Lexington						1			1	0
Salmonella Mississippi							1		1	0
Salmonella Muenchen			1			2			3	6
Salmonella Muenster		1							1	0
Salmonella Newport		1				2			3	3
Salmonella Orion	1								0	0
Salmonella Paratyphi B bv Java	5	1	5	2	5	3	1		17	16
Salmonella Poona	1								0	0
Salmonella Potsdam			1	1		1			3	1
Salmonella Reading					1			1	2	0
Salmonella Ruiru	1								0	0
Salmonella Saintpaul	1	3			1				4	6
Salmonella Schwarzengrund	1								0	0
Salmonella Senftenberg			1	1					2	2
Salmonella Stanley		2	1	2		1			6	1
Salmonella Thompson		1	1	1					3	0
Salmonella Typhimurium	4	4	5	2	4		5		20	46
Salmonella Virchow		2	2	3	5	2	1		15	4
Salmonella Wangata	1			1		1			2	0
Salmonella Weltevreden		2		1	3				6	3
Salmonella species	1	5	3	8	6	3	18	16	59	44